



June 2009

## QA Studio Raw Program: Improved Daily Antibiotic Window & Raw Reject Tanker Report

### RAW Daily Antibiotic Check Window:

- Now the window can be maximized to more easily view and enter data
- More results can be viewed in the window to easily tell if results were entered
- There is a check off box to indicate if the kit lot number is new (to indicate a new lot number performance test is being performed)
- You can click FIND and find all entries or New Lot Numbers only
- There is a New Lot Number Performance report that can be generated / printed / emailed to show the results of the new kit lot testing
- Daily Antibiotic Controls can be imported upon clicking the import icon (See QA Studio Newsletter September 2009)

For information on antibiotic testing and regulatory requirements:

<http://www.fda.gov/Food/FoodSafety/Product-SpecificInformation/MilkSafety/CodedMemoranda/MemorandaofInformation/ucm075225.htm>

### RAW Tanker Rejection Report:

- Raw Main Window > Receiving Test tab contains a Printer icon which upon clicking will easily generate a Rejection Report.

### Raw Program Menu > Daily Antibiotic Check Window

More data to view in window

Test Date-Time	Test By	Op	Lot #	Kit Expires	A Heat	A Level?	Strip -	Strip +	Ctl -	Ctl +	AM Top	AM Bot	PM Top	PM Bot	Time	New	Comments
03/16/07 08:22	PEJ	26	SLBL063	08/01/07	56.5	YES	-1269	1258	-1828	2465	4.0	4.0	1.0	4.0	16:00		These are comments.

New Lot # check off box.

Click FIND icon and make selection.

AB Reports > New Lot Review Report

Click FIND icon and make selection.


Milk Plant		RAW PRODUCT												Page: 1		
Printed: Tue, July 7, 2009 @ 12:18		New Lot Performance Checks Report												Fri 07/03/09 19:59		
														Thu		
														Fri 07/03/09 19:59		
Test	Heat	Calibration	Strip	Reg	Pos	Kit Lot #	Expire	ID #	POS Control	Lot #	Expire	Date/Time	Made	By	Expire	Rec
0703 7:59 PM	AAS	55.5	-1,234	1,234	Beta L	-1,111	2,222	SLBL004	060109	R1	POSSLB1234	060109	070309 6:00 AM	AAS	0704 6:00 AM	0625
1 Records																



June 2009

Raw Product Window > Raw Tanker Rejection Report

If a raw milk tanker is rejected, on the Receiving Test tab > enter "Rejected". Then click the Printer icon next to the Rejected field. The Rejection Report will display the tanker that is highlighted. Comments that are entered will show on the Rejection Report. The Rejection Report can be printed and/or emailed with testing details and comments.



### Raw Milk Rejection Report

**Rejected Load**

Printed:  
Tue, July 7, 2009 @ 15:15

Your company logo here

Date and Time: **Monday, JUL 6 2009 @ 03:00**

Sample ID: **R002**

Receiver Initials: **LJ**  
Analyst Initials: **ABC**

Origin State: **XX**  
Route: **123**  
Supplier: **Co-OpA**  
Hauler: **ACME**  
Trailer ID: **700**  
Producers: **MDO**  
Driver 1: **JohnDoe**  
Driver 2: **MikeDriver**

Manifest: **0234667**      BTU: **00-123**  
Manifest 2: **6956900**      BTU: **00-123**  
Manifest 3: **5866798**      BTU: **00-123**

Antibiotic Details				Operator			
Test Started:	Finished:	Temp:	Block Temp:	Code:	Yalus:	Lot #	Result:
JUL 6 2009 @ 02:45	02:55	1.9	56.0	1	2,111	SLBL063	POS

Testing						
Rec Temp:	Fresh Flavor:	Fresh Odor:	TA	DMC	%AW	
37.8	OK	OK	0.45	5.200	4.0	

AB Comments: **Rejected for Antibiotics, notified State Inspector - LabTech**

Receiving Comments: **Rejected weight 55180 - AAA**

---

**Milk Plant** Plant #: 11-999  
1723 Alex Way - Turlock - CA - 95382  
(209) 668-0600

Your company information here

*Benefit to QA Studio Users: Easily generate and print tanker rejection information and easily enter antibiotic information.*

*(If you have a PDF writer you can print the Tanker Rejection Report to a PDF file and attach to an email to the supplier).*



Workshops offered by  
Randolph Associates, Inc.

Dairy Technology Workshop  
DATE-Sept. 21-24, 2009  
LOCATION- Birmingham, AL